



gas fires range **2013-14**



Kinder **VERINE**
FIRES FOR LIFE FIRES TO INSPIRE



THE **COLLECTION**
by Michael Miller



gas fires range **2013-14**



Micon Distribution Limited have been a major distributor of domestic fireplace products in Ireland for over 10 years. We are based in Lisburn, Northern Ireland and we serve fireplace and stove retailers throughout all of Ireland.

We have now joined forces with BFM Europe Limited to bring you this collection of the highest quality gas fires with designs to suit a wide range of styles and installations.

BFM Europe is the UK's fastest growing domestic fire producer with an unequalled reputation for quality and service. Every **Flavel**, **Kinder**, **Verine**, **Kohlangaz** and **The Collection** by **Michael Miller** branded gas fire is developed and manufactured in Britain at their purpose built, state-of-the-art facility in Stoke-on-Trent.



Kinder
FIRES FOR LIFE

VERINE
FIRES TO INSPIRE



THE
COLLECTION
by Michael Miller

Contents

Guide to symbols	4
High Efficiency Fires	5
Verine Atina HE & Balanced Flue	6
Verine Eden HE & Balanced Flue	7
The Collection Carmelo Balanced Flue	8
Kinder Cameo HE & Balanced Flue	9
Kinder Proclaim HE & Balanced Flue	10
Kinder Limours Balanced Flue	11
Verine Meridian & Meridian Balanced Flue	12
The Collection Da Vinci Balanced Flue	13
Flavel Sophia	14
Verine Avelli & Avelli Balanced Flue	15
Verine Acclaim	16
Kohlangaz Gosford HE	17
Kohlangaz Marbury Plus	18
Kohlangaz Delamere Plus	19
Kohlangaz Gosford Plus	20
Kohlangaz Thetford	21
Kohlangaz Marbury	22
Kohlangaz Delamere	23
Kohlangaz Gosford	24
Kohlangaz Durlston Balanced Flue	25
Kohlangaz Accessories	26

Our Guarantee

All the gas fires in this brochure come with the peace of mind of a manufacturer's guarantee and the reassurance of a flame supervision device on all models. This device immediately cuts off the gas supply in the unlikely event of the flame being extinguished through blockage. Every guarantee is subject to terms and conditions including annual services and annual replacement of the oxy-pilot assembly carried out by a Gas Safe Register engineer.



Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the most up to date standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas, electrical, oil and solid fuel product testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.

Guide to symbols

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.


Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require either a Balanced Flue, a Powerflue or an electric fire.



Powerflue

Powerflue fires use an electronically driven fan unit mounted on the external wall to expel the flue gases directly outside the building.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Controls



Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outlets.



Slide Control

Convenient control that eliminates the necessity of bending down.



Easy Flame Control (EFC)

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.



Fully Automatic Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Fully Remote with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.



Multifunctional Remote

The handset is used to ignite the fire, control the heat/flame level and extinguish the fire, it also operates thermostatic and timer functions which allow you to pre-set a desired room temperature, between 5°C and 30°C, in both day and night mode and to set the times of day you would like the fire to turn on and turn off. In addition the remote is used to control the built-in dimmable, decorative halogen lighting.

Power Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas



LPG

LPG is the most popular alternative to natural gas

Fire Back Panel

Some fires offer you the option of a brick back, plain back, glossy black or ribbed back panel – simply choose the one that suits your room from the options available.



Plain Back



Glossy Black Enamel



Brick Effect Back



Cream Ribbed Back



Black Ribbed Back




Our high efficiency fires are made to give you the best heat output using the least energy possible.

Open fronted plus fires




Open fronted HE fires provide the look and feel of a real open fire with net efficiencies of up to 74%. This type of fire provides both radiant and convected heat. Radiant heat is emitted from the coal fuel effect. The convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger. This is then emitted as warm air through the gap above the canopy.



Glass fronted HE fires




This type of high efficiency fire has a glass panel across the front of the fire which radiates the heat generated from the fuel effect directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat, produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, this makes glass fronted HE's the most efficient conventional flue fires available.



Balanced Flue HE fires



Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home. A balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes. The radiant heat generated from the fuel-bed combines with convected heat, which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making balanced flues one of the most efficient types of gas fires available.



Shown: The Atina HE with glass silver fascia and white stones

VERINE
10
YEAR GUARANTEE



Verine Atina HE and Atina Balanced Flue



The Atina HE's perfect petite proportions and fabulous black reflective interior combined with a spellbinding flame makes this little hole-in-the-wall gas fire a magnificent centre-piece for smaller modern living areas.

The Atina HE features a maximum heat output of 3.5kW and is controlled by a fully sequential remote control system* with thermostatic operation so you can always maintain a comfortable room temperature that suits you.*

Specifications

Model	Atina HE	Atina HE Balanced Flue
Safety	Flame supervision device & oxygen depletion sensor	Flame supervision device
Heat input - high	5.0kW	5.1kW
Heat output - high	3.5kW	3.6kW
Net Efficiency	up to 77%	up to 79%

Heat input and output figures are specific to natural gas models only.

Options



Natural Gas



LPG



Fully Remote with Thermostat



Brick Chimney



Pre-Fabricated



Balanced Flue



Glossy Black Enamel

Trim Alternatives



Trimless with white stones



Wide polished silver fascia and white stones



Wide antique brass fascia and logs




Glass champagne fascia and logs



Glass rosé fascia with white stones

Dimensions



Wide fascia
A 485mm
B 800mm
C 15mm

Glass fascia
A 465mm
B 735mm
C 38mm

†This dimension is related to Atina HE CF only and is 370mm on Atina HE BF.

*A 240V 3amp mains electricity supply is required to power the remote control system. Please refer to installation manual for more information regarding installation requirements before you start the installation.



Verine Eden HE and Eden Balanced Flue



This glass fronted landscape hole-in-the-wall fire has an incredible 83% net efficiency and up to 5.2kW heat output. It features an enchanting flame picture and comes with a choice of log or white stone fuel bed. The Eden HE has been designed as a trimless* fire for a very minimalist appearance, or team with an optional designer trim for a more prominent centrepiece.

Specifications

Model	Eden HE	Eden HE Balanced Flue
Safety	Flame supervision device & oxygen depletion sensor	Flame supervision device & oxygen depletion sensor
Heat input - high	6.9kW	6.3kW
Heat output - high	5.2kW	4.8kW
Net Efficiency	up to 83%	up to 84%

Options

						
Natural Gas	LPG	Fully Remote with Thermostat	Brick Chimney	Pre-Fabricated	Balanced Flue	Glossy Black Enamel

Trim Alternatives



Eden HE with log fuel effect.



Eden HE with white stones fuel effect and Deluxe trim in satin silver.



Eden HE with white stones fuel effect and Slimline trim in polished silver.





Eden HE with log fuel effect and Deluxe trim in antique brass.



Eden HE with log fuel effect and Slimline trim in antique brass.

Dimensions



Dimensions for the Eden Balanced Flue model may vary please consult the installation manual for further details.

*A 240V 3amp mains electricity supply is required to power the remote control system. Please refer to installation manual for more information regarding installation requirements before you start the installation.



Carmelo HE Balanced Flue from The Collection by Michael Miller

With its large size and enchanting flame picture the Carmelo HE hole in the wall balanced flue gas fire is certainly a show-stopper and it provides exceptional performance too.

If you're looking for luxury combined with exceptional heat output then the Carmelo HE is the ideal gas fire for you. With a viewing area measuring 1145mm along with an enchanting flame picture this hole in the wall balanced flue gas fire is certainly a show-stopper, and with a heat output of 6.5kW and 75% efficiency it provides exceptional performance too.

What's more this fire can be installed almost anywhere in the home since it uses a balanced flue system with a choice of horizontal flue, vertical flue or chimney conversion flue kits available to choose from. Both log and white stone fuel beds are supplied with every fire.

Specifications

Model	Carmelo HE Balanced Flue
Safety	Flame supervision device
Heat input - high	9.5kW
Heat output - high	6.5kW
Net Efficiency	up to 75%

Options



Natural Gas



LPG



Multi-functional Remote



Balanced Flue




Pre-Fabricated



Glossy Black Enamel


Dimensions

Front View



A 1227mm
B 580mm
C 307mm

Top View



A 1150mm
B 369mm
C 252mm



Kinder Cameo HE and Cameo Balanced Flue



The petite dimensions of the Cameo HE make it perfect for modern living areas where space can be at a premium.

This stunning high efficiency hole-in-the-wall fire comes with a highly realistic log fuel bed and is available in a choice of black or cream ribbed back panels and a variety of stylish, dual colour designer fascias in bronze and champagne, black and silver or black and black.

Specifications

	Model	Cameo HE	Cameo HE Balanced Flue
Safety		Flame supervision device & oxygen depletion sensor	Flame supervision device
Heat input - high		4.4kW	5.5kW
Heat output - high		3.5kW	4.2kW
Net Efficiency		up to 87%	up to 84%

Options



*Balanced flue only **Conventional flue only.

Trim Alternatives




Cameo HE with black ribbed back and black & silver trim



Cameo HE with black ribbed back and black trim


Dimensions

Conventional Flue



A 669mm
B 930mm
C 361mm
D 452mm
E 631mm

Balanced Flue



A 669mm
B 930mm
C 315mm
D 460mm
E 85mm
F 631mm

An optional 25mm or 50mm spacer is available for the Cameo HE CF if required.



Kinder Proclaim HE and Proclaim Balanced Flue



With an incredible heat output and high efficiency the Kinder Proclaim HE and Proclaim BF gas fires are two of the most economical hole-in-the-wall fires available.

The Proclaim HE features a beautifully realistic log fuel bed and a glossy black vitreous enamel interior lining. It also features remote control functionality with thermostatic operation. The Proclaim BF is available for homes without a conventional brick chimney or pre-fabricated flue and features a ribbed fibre interior in a choice of black or cream and comes with semi-automatic remote control operation. Both models are available with the choice of three stylish trims; matt black and polished silver, matt black and polished black or bronze and champagne.

Specifications

	Model	Proclaim HE	Proclaim HE Balanced Flue
Safety		Flame supervision device & oxygen depletion sensor	Flame supervision device
Heat input - high		5.5kW	7.5kW
Heat output - high		3.9kW	5.5kW
Net Efficiency		up to 79%	up to 87%




Options



*Balanced flue only **Conventional flue only.




Dimensions

Conventional Flue



- A 733mm
- B 1030mm
- C 385mm
- D 515mm
- E 727mm

Balanced Flue



- A 733mm
- B 1030mm
- C 370mm
- D 550mm
- E 730mm

An optional 25mm or 50mm spacer is available for the Proclaim HE CF if required.

Trim Alternatives

Proclaim Balanced Flue Alternatives



Proclaim BF with cream ribbed back and bronze & champagne trim



Proclaim BF with black ribbed back and black trim



Proclaim BF with black ribbed back and black and silver trim

Proclaim HE Trim Alternatives



Proclaim HE CF with bronze and champagne trim



Proclaim HE CF with black trim



Kinder Limours Balanced Flue



The Limours is Kinder's first dedicated wall mounted balanced flue fire. No chimney is required as this fire is flued directly through an outside wall. It can be simply hung on the wall with no need for any extensive building work or recessed when fitted with an additional wall plate.

The Limours is operated via a thermostatic remote control and features a contemporary graphite fascia with stainless steel detail and an aggregate stone effect fuel bed.

Specifications

Model	Limours Balanced Flue
Safety	Flame supervision device
Heat input - high	4.8kW
Heat output - high	2.2kW
Net Efficiency	up to 87%

Options





Alternatives



Limours in a wall inset installation using optional wall plate

Dimensions



Hang on Wall Installation



A	685mm
B	1110mm
C	612mm
D	145mm
E	747mm
F	150mm min - 405mm max*

*Optional flue duct extension available to increase maximum length to 800mm.

Inset Installation



A	739mm
B	1164mm
C	612mm
D	100mm
E	747mm
F	250mm min - 525mm max*

*Optional flue duct extension available to increase maximum length to 920mm.

Shown: The Meridian as hearth mounted installation with Cream ribbed back fibres and Champagne fascia

VERINE
10
YEAR GUARANTEE



Verine Meridian HE and Meridian Balanced Flue



A combination of contemporary fascia design and traditional log fuel bed is sure to make the Meridian an impressive feature in any home. This exceptionally versatile fire can be installed as a modern hole-in-the-wall fire or with a fire surround for a more traditional look. Choose between black ribbed, cream ribbed or brick effect fire back.

Specifications

Model	Meridian HE	Meridian HE Balanced Flue
Safety	Flame supervision device & oxygen depletion sensor	Flame supervision device
Heat input - high	6.2kW	5.7kW
Heat output - high	4.2kW	4.5kW
Net Efficiency	up to 75%	up to 84%

Heat input and output figures are specific to natural gas models only

Trim Alternatives



Bronze and champagne trim with brick effect back



Black and silver trim with black ribbed back

Options




**not available on balanced flue models

Dimensions

Conventional Flue

Balanced Flue



10
YEAR GUARANTEE

Shown: Da Vinci Illumia in Travertine
with brick effect back panel



Da Vinci Illumia Balanced Flue from The Collection by Michael Miller


This stunning fireplace features a highly realistic log fuel bed and is complemented by a beautiful and mesmerising lazy flame. With a choice of Limestone or Travertine surround and brick effect or black ribbed back panels you can create either a traditional or contemporary look. This balanced flue fire features thermostatic operation and an incredible 83% efficiency.

Specifications

Model	Da Vinci Balanced Flue
Safety	Flame supervision device
Heat input - high	8.7kW
Heat output - high	6.5kW
Net Efficiency	up to 83%

All figures measured on 350mm horizontal flue duct in accordance with clause 7.11 of BS EN 613 : 2001

Options






*When installed using a chimney conversion balanced flue kit.

Alternative



Da Vinci Illumia in
Limestone with black ribbed back panel

Dimensions



- A 1370mm
- B 1157mm
- C 230mm
- D 380mm
- E 620mm
- F 217mm
- G 688mm
- H 1340mm
- I 867mm
- J 747mm
- K 398mm
- L 255mm
- M 903mm



Flavel Sophia Suite



The Flavel Sophia gas fire suite features a large, high efficiency, log effect gas fire framed by a beautifully designed Royal Botticino stone surround.

This conventionally flued gas fire is suitable for installation into a standard brick chimney or pre-fabricated flue, and is operated by a multifunctional remote control handset. The remote control system includes a thermostatic operation which automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/ sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia comes with a built in electronic fan that is used to circulate convected heat around the room. This ensures that the whole of the room is kept warm, not just the area immediately in front of the fire.

Specifications

Model	Sophia Suite
Safety	Flame supervision device & airwatch system
Heat input - high	7.6kW
Heat output - high	4.8kW
Net Efficiency	up to 70%

Options



Natural
Gas



LPG



Fully Remote
with Thermostat



Brick
Chimney






Pre-
Fabricated



Black
Ribbed

Dimensions



A	1233mm
B	1480mm
C	739mm
D	185mm
E	1450mm
F	792mm
G	921mm
H	352mm
I	200mm
J	410mm
K	790mm
L	755mm



Verine Avelli and Avelli Balanced Flue



The Avelli gas fire suite is small in size but big in style. This beautiful fireplace comes in a choice of limestone or travertine surround and features a large, high efficiency gas fire with extremely realistic log effect fuel bed and a heat output of 4.2kW. The fire comes in a choice of black ribbed, cream ribbed or brick effect interior and is operated by a fully automatic remote control system.


This fire is suitable for installation in to a standard brick chimney or pre-fabricated flue. A balanced flue version is also available for homes without a built in chimney or flue.

Specifications

Model	Avelli	Avelli Balanced Flue
Safety	Flame supervision device & oxygen depletion sensor*	Flame supervision device
Heat input - high	6.2kW	5.7kW
Heat output - high	4.2kW	4.5kW
Net Efficiency	up to 75%	up to 84%

Heat input and output figures are specific to natural gas models only *Conventional flue models only

Options






Alternative



Avelli in Travertine surround with brick back

Dimensions



A	1114mm
B	997mm
C	255mm
D	380mm
E	500mm
F	220mm
G	462mm
H	1114mm
I	528mm
J	205mm
K	779mm

Shown: The Acclaim. Fret not included with fire



Verine Acclaim

An ideal replacement for a real coal fire, the Acclaim is a tapered inset fire specifically designed to fit into existing firebacks. Flickering flames and a deep fuel bed glow create a highly realistic effect capturing the essence of a real open fire.

Specifications

Model	Acclaim
Safety	Flame supervision device & oxygen depletion sensor

Heat input - high 6.9kW

Heat output - high 2.0kW

Heat input and output figures are specific to natural gas models only

Options



Natural Gas



LPG*



Fully Remote Control



Manual Control




Brick Chimney



Pre-Fabricated

* only available on manual control models

Dimensions



A 336mm
B 200mm
C 250mm



Shown: Gosford HE with Standard trim and Balmoral fret in black

Kohlangaz Gosford HE




If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Gosford HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an incredible net efficiency of 89%. With a massive 4kW output the Gosford HE keeps your heat high and your fuel costs low. You can choose your preferred trim and fret combination to suit your décor.

Specifications

Model	Gosford HE
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	5.0kW
Heat output - high	4.0kW
Net Efficiency	up to 89%

Options




* only available on manual control models

Alternative



Gosford HE with Standard trim and Grace fret in silver

Dimensions



Shown: Marbury Plus with coal fuel effect,
Standard trim and Balmoral fret in brass

Kohlangaz
2
Year Guarantee



Kohlangaz Marbury Plus



The Marbury Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4.1kW it is also one of the warmest products suitable for a pre-cast flue. The Marbury Plus is available in a choice of manual or our easy access Easy Flame control systems. This extremely versatile fire can be styled with a wide range of Kohlangaz trims, frets or fascias and with an optional pebble fuel bed it is easy to create a look to suit your existing décor.

Specifications

Model	Marbury Plus
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.5kW
Heat output - high	4.1kW
Net Efficiency	up to 70%

Options


Natural Gas	Manual Control	Easy Flame Control	Brick Chimney	Pre-Fabricated	Pre-Cast	Plain Back	Coal Fuel Bed	Pebble Fuel Bed

Alternative



Marbury Plus with pebble fuel effect, Standard trim and Grace fret in silver

Dimensions



Dimensions A & B refer to Standard trim only.



Shown: Delamere Plus with coal fuel effect,
Standard trim and Blenheim fret in brass



Kohlangaz Delamere Plus




The Delamere Plus boasts an amazing 70% net efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual or slide controlled fire. A pebble fuel effect is available as an optional extra.

Specifications

Model	Delamere Plus
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.9kW
Heat output - high	4.4kW
Net Efficiency	up to 70%

Options




Alternative



Delamere Plus with pebble fuel effect and Contemporary fascia in polished silver

Dimensions



Dimensions A & B refer to Standard trim only.

Shown: Gosford Plus with Standard trim
and Grace fret in silver

Kohlangaz
2
Year Guarantee



Kohlangaz Gosford Plus



The Gosford Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 74% net efficiency. Suitable for installation into standard chimneys or pre-fabricated flues the Gosford Plus comes in a choice of manual, slide, easy flame or remote control and can be styled to suit your home with our wide range of trims and frets.


Specifications

Model	Gosford Plus
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.9kW
Heat output - high	4.6kW
Net Efficiency	up to 74%

Options

Natural Gas	Manual Control	Fully Remote Control	Slide Control	Easy Flame Control	Brick Chimney	Pre-Fabricated	Plain Back	Coal Fuel Bed

Dimensions



Dimensions A & B refer to Standard trim only.



Shown: Thetford with pebble fuel effect,
Standard trim and Grace fret in silver


Kohlangaz Thetford

The Thetford features one of the deepest looking fuel beds on a slimline gas fire. Designed for easy installation in to any chimney or flue, including pre-cast (BS EN 1858), this stylish fire is both versatile and affordable. This model comes with a choice of Standard trim which can be teamed with any Kohlangaz fret, or upgrade to one of our Contemporary fascias. A pebble fuel effect is available as an optional extra.

Specifications

Model	Thetford
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.5kW
Heat output - high	3.3kW

Options




Alternative



Thetford with coal fuel effect,
Standard trim and Blenheim fret
in brass

Dimensions



Dimensions A & B refer to Standard trim only.

Shown: Marbury with coal fuel effect and Contemporary fascia in polished silver

Kohlangaz
2
Year Guarantee



Kohlangaz Marbury

The slimline Marbury gas fire features an attractive coal fuel bed and dancing flame effect. It is suitable for installation in to almost any home since it will fit a standard brick chimney, pre-fabricated flue or pre-cast (BS EN 1858). This fire can be purchased as a manual control fire or as a convenient slide control. A pebble fuel effect is available as an optional extra. See page 26 for trim and fret combinations.

Specifications

Model	Marbury
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.5kW
Heat output - high	3.3kW

Options


Natural Gas	Manual Control	Slide Control	Brick Chimney	Pre-Fabricated	Pre-Cast	Plain Back	Coal Fuel Bed	Pebble Fuel Bed

Alternative



Marbury with pebble fuel effect and Contemporary fascia in polished silver

Dimensions



Please note that the Contemporary fascia shown on this page is not suitable for slide control versions.



Shown: Delamere with coal fuel effect,
Standard trim and Daisy fret in brass




Kohlangaz Delamere

The Delamere features an outstanding coal or optional pebble fuel effect and a beautiful flame picture. This open-fronted fire provides a maximum heat output of 3.3kW and can be installed into most chimneys or flues, including pre-cast (BS EN 1858) when fitted with a 3" rebated fire surround. Customise the Delamere with our extensive range of trims, frets and fascias.

Specifications

Model	Delamere
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.9kW
Heat output - high	3.3kW

Options




Alternative



Delamere with pebble fuel effect,
Standard trim and Daisy fret in silver

Dimensions



Dimensions A & B refer to Standard trim only.

Shown: Gosford with Standard trim
and Daisy fret in silver

Kohlangaz
2
Year Guarantee



Kohlangaz Gosford

The Gosford features one of the most realistic coal effects on the market and offers an amazing 4kW of heat. This open fronted fire is able to deliver a higher output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air. Manual or slide control models are available and you can create your own style with a choice of any Kohlangaz trim, fret or fascia.


Specifications

Model	Gosford
Safety	Flame supervision device & oxygen depletion sensor
Heat input - high	6.9kW
Heat output - high	4.0kW

Options

							
Natural Gas	LPG	Manual Control	Slide Control	Brick Chimney	Pre-Fabricated	Plain Back	Coal Fuel Bed

Dimensions



Dimensions A & B refer to Standard trim only.



Shown: Durlston Balanced Flue with Standard trim and Grace fret in silver



Kohlangaz Durlston Balanced Flue



The Durlston Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. At 94% net this glass fronted fire is the most efficient product in our range and offers an impressive 4.0kW heat output. The Durlston Balanced Flue comes in a choice of manual or Easy Flame control and can be teamed with any Kohlangaz trim and fret. This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

Specifications


Model	Durlston
Safety	Flame supervision device
Heat input - high	4.6kW
Heat output - high	4.0kW
Net Efficiency	up to 94%

Options



* only available on manual control models

Dimensions



Dimensions A & B refer to Standard trim only. *These dimensions differ on EFC models. Please refer to the installation manual for more details. An optional flue extension is available to increase the maximum flue length to 1010mm on manual control models and 973mm on EFC models.

Accessories for Kohlangaz fires

Standard trims



Brass



Polished Silver



Brushed Silver



Black

Curved trims



Brass



Black



Polished Silver

Blenheim frets



Brass



Antique Brass



Black



Polished Silver

Balmoral frets



Brass



Black



Brass



Silver

Grace frets

Daisy frets



Brass



Black



Polished Silver

Contemporary fascia



Polished Silver



Brushed Silver

Delta fascia



Polished Silver

Contemporary fascia is not suitable for the Gosford Plus, Durlston Balanced Flue or any Slide or Easy Flame Control model.
Delta fascia is not suitable for the Gosford Plus, Durlston Balanced Flue or any Easy Flame Control model.

WARNING BFM Europe Limited is a Gas Safe Register company.

We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending.

We always recommend our products be viewed in an approved showroom before purchase.

Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

(This brochure is copyright 2013 and must not be reproduced in whole or in any part without prior written permission).





Distributed by Micon Distribution Ltd
1A Hallstown Road
Ballinderry Upper, Lisburn
Co. Antrim, Northern Ireland BT28 2NE

Sales: +44 (0)28 9262 0880

Fax: +44 (0)28 9262 0886
email: mail@micon-dist.com

web: www.micon-dist.com