

STANLEY®

Designed
to work
beautifully

— 2018/2019



Electric, Gas, Wood
Oil and Multifuel
Stoves and Cookers

Welcome to a world of comfort and warmth


Warming homes for over 80 years, Stanley believe that every home should be able to enjoy the stylish and cosy benefits of a Stanley. All our Stanley appliances deliver common sense and comfort. Its good looks enhance any room, while the 21st century fuel efficiency provides a cosy fireside glow and lower energy bills.

Stanley combines superb craftsmanship and design to create products that suit a modern lifestyle and bring people together over good food, warmth and a strong sense of heritage.



| | |
|---|----|
| Your Stanley Story starts here | 04 |
| Why choose a Stanley? | 05 |
| Product Chooser | 06 |
| ARGON Electric Fires and Stoves | 08 |
| ARGON Gas Inserts and Stoves | 16 |
| Stanley Stories | 22 |
| SOLIS Wood Burning and Multifuel Stoves | 24 |
| Classic Multifuel Stoves | 38 |
| Stanley Range Cookers | 60 |
| Specifications Overview | 72 |
| Dimension Drawings | 74 |

Your Stanley story starts here



As Ireland's leading heating company we understand that when you bring home a Stanley you are choosing a product you can rely on, from a name you can trust. Based in Waterford since 1936 the ideals and dedication to perfection remain unchanged today ensuring that every appliance that bears the Stanley name is of the highest quality.



Every home should have a Stanley

Over **350,000 Irish households** have already said yes to the control, efficiency and comfort that comes as standard with a Stanley

RANGE OF MODELS

Range of Styles - Insert, Cassette, Built in, Wall Hung or Freestanding, there's a model to suit everyone's needs.

Energy outputs - Whether it's simply an electric fire to provide ambience in your home or the Reginald stove which will heat up to 14 radiators, we have a Stanley to suit you.

Choice of Fuels - Stanley have a comprehensive range of products in various fuels types: electric fires and inserts, gas fires and stoves, wood and multifuel stoves, oil, multifuel, all electric and dual fuel cookers. We have a Stanley for your home.

ADDED FEATURES

Controllability - Our ARGON electric and gas stoves have remote control capability so you can control it at a touch of a button. Our Classic and SOLIS stove range have primary and secondary air controls to aid combustion and airwash to keep the glass clean. Our oil range cookers have controls for separate heat, hot water and cooking

External Air capability - is available for many of our stoves as an optional extra. External Air is used in well-insulated houses for mechanical ventilation, and directs air from the outside into the stove to aid efficient combustion.

Create your flame picture - You can adjust the colours of the flame picture on our ARGON Electric Wall Hung and Built in models using the Red, Yellow & Blue Flame Buttons. By pressing one of these buttons, the level of the chosen colour will reduce so that the desired flame colour can be achieved.

TALK TO SOMEONE WHO OWNS ONE

Follow your heart to Stanley, and if you need convincing, talk to somebody who already has one. They'll tell you how much you save, and how much more to gain. Why not check our Stanley Stories online or in this brochure from people who have a Stanley in their home?

A NAME TO TRUST

As Ireland's leading heating company, every single product that bears the Stanley name is designed to the highest standards and built to last. Throughout Ireland, home heating experts are available in your local Stanley retailers, to offer advice and guide you in choosing the best Stanley appliance to suit your needs. Our Customer Service team in Waterford are always on hand to provide expert advice on spare parts availability and after sales support on your Stanley.

ECODESIGN 2022

Ecodesign is the European-wide programme to lower emissions to improve air quality from a range of appliances that use energy including stoves and will come into force 1st January 2022. It will apply to both wood burning and solid fuel stoves.

Waterford Stanley is committed to certifying its stoves for Ecodesign 2022. Where you see the Ecodesign logo on our SOLIS and Classic range, they have already been certified for Ecodesign 2022.

CERTIFICATION AND TESTING

Before a product receives the Stanley seal of approval, our research and development team carry out exhaustive safety, quality and performance testing, measuring heat economy, CO emissions and build durability. Every stove is then independently tested and approved to the relevant European Standard.



The perfect match

Find the ideal Stanley for your home

Room only

INSERT STOVE



ARGON Electric | 2kW

p.08



CARA Gas | (<37m²) 5.5kW

p.20



SOLIS I500 | (<37m²) 5kW

p.26



SOLIS I900 | (<43m²) 9kW

p.28



SOLIS I100/80DS | (<78m²) 14 & 16kW

p.30



Cara | (<37m²) 6.5kW

p.54



Cara Glass | (<37m²) 6.45kW

p.56

FREESTANDING STOVE



ARGON Gas | (<37m²) 5.5kW

p.16



SOLIS F500 Edge | (<37m²) 5kW

p.32



SOLIS F650 Style | (<37m²) 6.5kW

p.32



SOLIS F800 Grande | (<43m²) 8kW

p.34



SOLIS F900 Ridge | (<43m²) 9kW

p.32



SOLIS F1100 Panoramic | (<78m²) 11kW

p.36



Oisin | (<37m²) 6.4kW

p.52



Aoife | (<43m²) 7.3kW

p.50



Tara | (<43m²) 8kW

p.48



Ardmore | (<43m²) 9kW

p.44



Lismore | (<64m²) 12kW

p.42

Room & Central Heating

INSERT STOVE



Cara + | Up to 10 radiators

p.58

FREESTANDING STOVE



Tara | Up to 6 radiators or hot water

p.48



Lismore | Up to 10 radiators

p.42



Erin | Up to 10 radiators

p.46



Reginald | Up to 12 radiators

p.40

RANGE COOKERS



Brandon 60 | Up to 12 radiators

p.64



Donard | Up to 12 radiators

p.66



Dartry | Up to 10 radiators

p.68



Brandon Condensing | Up to 16 radiators

p.62



Brandon 80 | Up to 16 radiators

p.64



Brandon 100 | Up to 20 radiators

p.64



Supreme Deluxe | Cooking Only

p.70

Number of radiators only a guide and for a more accurate calculation, consult with your plumber.

To find out which Stanley stove is your perfect match, measure your room, then use this calculation to find your room size in metres and the heat output in kW of the stove.
Find your perfect match online at www.waterfordstanley.com/stanley-stoves/stove-chooser

| | | | | | |
|------------|------------|-----------|--|-----------|----|
| X | X | = | | x .0606 = | kW |
| Height (m) | Length (m) | Width (m) | | | |

NEW
RANGE



Wall Hung 200cm shown

ARGON Wall Hung Electric Fires

Add luxury to any room with a minimum of effort. The ARGON coloured flame and wood log feature is a beautiful thing to behold and creates a stunning focal point in any room. Freedom to place in any room in your home.

FEATURES


- › Output: Flame only, 1kW and 2kW options
- › Wall Mounted full width glass front
- › Variable flame effect with no heat setting
- › Adjustable flame effect brightness with 3 colour settings – red, yellow and blue
- › Full width log set included
- › Manual & Full Remote Control with LCD Display
- › Remote Control functions:
 - 1) 7 day timer
 - 2) Built in thermostat
 - 3) Open window function
- › Can be recessed to 24mm for compact installation

DIMENSIONS



BENEFITS

- › Installation has never been easier – All you need is the wall space and a 3 pin socket
- › Create your own style. You can wall mount or recess your ARGON fire using kits provided. Can be recessed to 148mm leaving vent exposed for heating. Total depth is 172mm
- › Range of sizes to suit everyone's needs - 90cm, 110cm, 140cm and sizeable 200cm fire
- › Create your flame picture - You can adjust the colours of the flame picture using the Red, Yellow & Blue Flame Buttons. By pressing one of these buttons, the level of the chosen colour will reduce so that the desired flame colour can be achieved
- › Open Window Function - The Open Window function when selected will ensure that the heating function on the unit turns off in a situation where a window is left open
- › 2 year parts and labour warranty



FULLY REMOTE
CONTROLLED

See page 74 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.

NEW
RANGE



125cm Built In shown

ARGON Built in Electric Fires

If you want something a little bit sleeker, the ARGON built in range of fires offer stylish warmth when they are installed. With the same visual flame and wood log features as the wall hung models, the ARGON electric is a beautiful thing to behold.

FEATURES

- › Output: Flame only, 1kW and 2kW options
- › Built-in with steel frame
- › Variable flame effect with no heat settings
- › Adjustable flame effect brightness with 3 colour settings – red, yellow and blue
- › Full width log set included
- › Manual & Full Remote Control with LCD Display
- › Remote Control functions: 1) 7 day timer, 2) built in thermostat, 3) open window function
- › Fully recessed for compact installation

DIMENSIONS



BENEFITS

- › Installation has never been easier – All you need is the wall space and a 3 pin socket
- › Available in 2 sizes – 100cm and 125cm
- › Create your flame picture - You can adjust the colours of the flame picture using the Red, Yellow & Blue Flame Buttons. By pressing one of these buttons, the level of the chosen colour will reduce so that the desired flame colour can be achieved
- › Open Window Function - The Open Window function when selected will ensure that the heating function on the unit turns off in a situation where a window is left open
- › 2 year parts and labour warranty



A
ENERGY
RATING



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT



100%
EFFICIENCY
(A RATED)



FULLY REMOTE
CONTROLLED

See page 74 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



NEW
RANGE

Cara Insert Electric shown

Cara Insert Electric Stove

Get all the style and cast iron durability of our popular multifuel Cara Insert but with the flick of a switch. Made from cast iron and in gloss black enamel, the Cara Insert Electric offers a real fire in an instant.

FEATURES

- › Output: Flame only, 1kW and 2kW options
- › Cast Iron build in enamel black
- › Adjustable flame effect brightness
- › Variable flame effect with no heat function
- › No flue required
- › Manual & Full Remote Control with LCD Display
- › Remote Control Functionality, 7 Day Timer and Built-In Room Stat
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › Adaptive Heating setting for timer which gradually brings room up to desired temperature starting 30 mins before selected heating start time
- › Installation has never been easier – All you need is a fireplace and a 3 pin socket
- › Controllability at your fingertips - Remote Control
- › Fits into standard fireplace opening - 16" or 18"
- › Easy to install - Simply plug and play
- › 2 year parts and labour warranty
- › Underneath Fuel Bed illumination can be changed to various colors i.e. red, orange, green, magenta, white etc.



FULLY REMOTE
CONTROLLED



ALSO AVAILABLE IN
MULTIFUEL AND GAS

See page 75 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.

NEW
RANGE



Bailey Insert shown

ARGON Bailey and Arranmore Fire Insets

Good looks come in all shapes and sizes. The Arranmore and Bailey fire insets will add a sense of cosiness to any room. Available in satin black and chrome finishes with adjustable flame settings and remote control options, simply plug and play your Bailey or Arranmore today.

FEATURES

- › Flame only, 1kW and 2kW options
- › Adjustable flame effect with no heat function
- › Two heat settings plus overheat function
- › 3 light settings: 1) Flame/Coal
2) Coal only
3) Flame only
- › Remote control with 7 day programmer
- › LED display under canopy displays time, heat setting, timer setting and room temperature
- › No Flue required
- › Built in room stat

DIMENSIONS



Bailey



Arranmore

BENEFITS

- › Installation has never been easier – All you need is a fireplace and a 3 pin socket
- › Controllability at your fingertips - Remote Control
- › Fits into standard fireplace opening - 16" or 18"
- › Easy to install - Simply plug and play
- › 2 year parts and labour warranty



FULLY REMOTE
CONTROLLED



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT



100
%
EFFICIENCY
(A RATED)

See page 75 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.

NEW
RANGE



ARGON F500 Oval Gas

The ARGON F500 oval gas stove offers controllability at your fingertips and a fantastic flame picture giving you all the advantages of a contemporary wood burning stove but none of the hard work. It also features a stunning large glass window almost the full length of the stove providing optimum views of the fire.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Natural Gas and LPG Options available
- › Double glazed door & side panels
- › Extended glass door & side panels
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer 4) Built in room stat
- › High efficiency up to 83%
- › Eco-flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco flame mode - reduces costs by 50% making it more efficient to run
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



FULLY REMOTE
CONTROLLED



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO-FLAME
MODE

See page 75 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.

NEW
RANGE



ARGON F500 Slim Gas

With a slimmer design and flat sides, the ARGON F500 Slim profile offers a different styling design. However, it still has the curved panoramic glass and the large side windows so you really see the depth of the dancing flame.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Natural Gas and LPG Options available
- › Double glazed door & side panels
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer, 4) Built in room stat
- › High efficiency up to 83%
- › Eco-flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco flame mode - reduces costs by 50% making it more efficient to run
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



FULLY REMOTE
CONTROLLED



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO-FLAME
MODE

See page 75 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Cara Glass shown

Cara and Cara Glass Insert Gas

The Cara and Cara Glass inserts in gas are the ideal solution for those who want warmth, efficiency and contemporary good looks of an open fire with the controllability of gas. Due to their compact size, both models fit beautifully into a standard fireplace with the Cara Glass available in 4 frame so it can be hung like a piece of art on the wall. Available in cast iron and steel and glass.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Steel frame and glass door - Cara Glass
- › Cast Iron in black gloss enamel - Cara Insert
- › Fits in to a standard 16" or 18" fireplace
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer, 4) Built in room stat
- › Available in 3 and 4 sided frames - Cara Glass only
- › High efficiency up to 83%
- › Eco-flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



Cara



Cara Glass

BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco flame mode - reduces costs by 50% making it more efficient to run
- › Can be connected to conventional system using Stanley chimney system
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



ALSO AVAILABLE IN
ELECTRIC VERSION
Cara Insert Only



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO-FLAME
MODE



FULLY REMOTE
CONTROLLED

See page 75 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.


Feel the warmth



“The Cara Insert suits the traditional style of our living room and fireplace. Open fires are wasteful of energy and impact negatively on the energy rating. As our home was a new build we were advised that open fires were a no-no.”



“It was recommended by a friend, but to be honest I really wanted a stove. It's a no-brainer and Stanley are one of the best makes on the market.”



“We estimate that we are burning about two thirds less fuel than we did last year when we had the open fire and it means spending time in this room with the Aoife lighting is a really cosy place to be.”



“It brings real warmth and energy to the room. It's difficult to heat this room as it has a double height ceiling, but it now feels cosy. We would definitely recommend it.”



“We had a built in double oven and hob previously and if we used the grill there wasn't as much heat in the main oven. With the Supreme we have a separate grill, slow cooking oven, two large main ovens and 5 rings on top. We can be cooking 5 things at any one time. We love it.”



“When I went to see it in the shop they had one fitted in a fireplace and that was it, my mind was made up; if I couldn't have the Cara Insert I didn't want anything else!”



“We chose the Lismore as we liked the look of it. We also love its controllability and safety.”



“The heat and the flame picture is a winner. Looks even more impressive than an open fire. Love the subtle handle. The kids don't know where it is and don't reach for it so that's a plus. Even when friends come over the first question is 'How do you open it?'”



“For such a small stove the Oisin provides a huge amount of heat. We use a combination of coal and logs to get the best heat from the stove.”

Contemporary design for modern living, the SOLIS range is all that is good about open fires but with the efficiency and class of a modern stove.



SOLIS Stoves

SOLIS I900 shown

SOLIS I500 Cassette Stove

The SOLIS I500 Cassette stove looks good in any position whether standing alone on a wall or replacing your open fire. Three times more efficient than an open fire, the SOLIS I500 takes up minimal hearth space and is the perfect solution where space is a premium.

FEATURES

- › Model: Insert Room Heating
- › Dedicated wood burning stove
- › Nominal heat output 5kW
- › Fits into standard fireplace
- › Top flue outlet (5"/127mm flue)
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › Maximum log length: 260mm
- › 3 and 4 frame models available
- › Large viewing glass
- › Chrome detailing
- › Weight: 75kg

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13240
- › 5 year warranty

OPTIONAL EXTRAS

- › Multifuel kit available as optional extra



DISCREET HANDLE FEATURE
FOR SAFETY



ENERGY
RATING



NET EFFICIENCY



WOOD



MULTIFUEL



SOLIS I500 4 sided frame shown

SOLIS I900 Cassette Stove

The SOLIS I900 Cassette stove is the ultimate heating solution when you have a little more space. With clever door opening features, breath-taking flame pictures not to mention strong smooth lines, the SOLIS I900 will create a stunning focal point in any room. Be the envy of your neighbours.

FEATURES

- › Model: Insert Room Heating
- › Dedicated wood burning stove
- › Nominal heat output 9kW
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › Maximum log length: 440mm
- › 3 and 4 frame models available
- › Top flue outlet (6"/150mm flue)
- › Large viewing glass
- › Chrome detailing
- › Weight: 105kg

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13240
- › 5 year warranty

OPTIONAL EXTRAS

- › Multifuel kit available as optional extra



DISCREET HANDLE FEATURE
FOR SAFETY



SOLIS I900 4 sided frame shown

SOLIS Single and Double Sided Insert Stove

The SOLIS single and double sided glass framed stoves are a beautiful thing to behold and add luxury to any room. All models feature fan assisted convection heating so you can heat other rooms in your home.

FEATURES

- › Model: Insert Room Heating
- › Available in 3 outputs: I80 SS - Max 12kW, I80 DS - Max 14kW and I100 DS - Max 16kW
- › Wood burning stove
- › Graphite steel build with high end glass frame
- › External Air intake as standard - (80mm pipe not supplied)
- › Fan assisted convection heat
- › Combined Secondary window wash & Tertiary control
- › Capability to channel air into other rooms
- › Efficiency - 79%
- › Flue size - 150mm

DIMENSIONS INCLUDING FRAME



BENEFITS

- › External Air supply as standard
- › Ventilation to channel air into other rooms - The SOLIS double sided comes with vents on top which can channel air into other rooms heating more of your home.
- › Fan assisted convection heat allows you to increase heat output to the room when required.
- › Tested & approved to European standard - EN 13229
- › 5 year warranty



Double Sided View

See page 76 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



NEW RANGE

SOLIS I100 DS Shown

SOLIS F500 Edge, F650 Style, F900 Ridge

The family of SOLIS stoves, F500 Edge, F650 Style and F900 Ridge have been crafted to bring through the very best designs for today's market. A beautiful fusion of contemporary and traditional, the stoves feature eye catching design and functionality that's a joy to use. The cleverly designed air control allows you to switch between solid fuel and wood as well as controlling the air intake. The end result is exquisite controllability and a magnificent flame picture.

FEATURES

- › Model: Freestanding Room Heating
- › Available in 3 Max Outputs - 5kW, 6.5kW and 9kW
- › Multifuel and Wood burning stove
- › Graphite steel frame with cast iron door
- › External air intake as standard
- › Top flue and rear outlet
- › Efficiency - F500 81.1%, F650 84.8%, F900 77.5%
- › Flue size - F500 - 125mm, F650, F900 - 150mm
- › Primary, secondary & tertiary air management

DIMENSIONS



BENEFITS

- › External Air supply as standard
- › Tested & approved to European standard - EN 13229
- › Defra approved
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - directs air from the outside into the stove to aid efficient combustion
- › Log store for F500 Edge.



NET EFFICIENCY

WOOD

MULTIFUEL



NEW
RANGE

See page 77 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.

SOLIS F900 Ridge shown

SOLIS F800 Grande Stove

Wood burning never looked so good. With its unique handle feature and compact Scandinavian design, the SOLIS F800 Grande will look good in any home. With 83% efficiency and a maximum heat output of 8kW, the F800 Grande will comfortably keep your room cosy and warm.

FEATURES

- › Model: Freestanding Room Heating
- › Multifuel and Wood burning stove
- › 8kW Max output to the room
- › Graphite steel frame with large steel handle
- › Log store with door
- › External air intake as standard
- › Top flue and rear outlet
- › Efficiency - 83%
- › Flue size - 150mm

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Log store incorporated into design of stove
- › Large handle features offers unique opening
- › Smaller dimensions allows it to fit better into rooms
- › Tested & approved to European standard - EN 13229
- › 5 year warranty

OPTIONAL EXTRAS

- › Multifuel kit available



NEW
RANGE

SOLIS F1100 Panoramic

A truly beautiful stove, the SOLIS F1100 Panoramic wood burning stove adds inspiration to any space it fills. With high efficiency at 81% and a whopping 11kW max output, it is ideal for medium and large living areas. The F1100 features windows on either side as well as the ample front glass to ensure you can see the flame effect from virtually anywhere in the room.

FEATURES

- › Model: Freestanding Room Heating
- › 11kW Max output to the room
- › Wood burning stove
- › Graphite steel frame
- › Panoramic curved glass door & side panels
- › External air intake as standard - (100mm pipe not supplied)
- › Top and rear flue outlet
- › Efficiency - 81%
- › Flue size - 150mm

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13229
- › 5 year warranty



A living, breathing
fire in a stylish,
efficient, economic
Stanley stove



Lismore Enamel

Classic Stoves



Reginald Enamel Black shown

Reginald

Inspired by the famous Reginald's Tower in Waterford, that has protected the city for almost 1,000 years, the Reginald is designed and developed in Waterford to the highest standards of enduring craftsmanship. Behind the sculpted curves, chrome detailing and elegant styling lies a next generation stove designed for a new era in home heating efficiency.

FEATURES

- Model: Freestanding Central Heating
- Sculpted curve design
- Large viewing glass
- Secondary air provides cleaner combustion
- Window wash air to maintain a clean glass
- Raised grate for optimum fuel burn
- Large ashpan
- Top and rear flue outlet

DIMENSIONS



BENEFITS

- Tested & approved to European standard - EN 13240
- Ecodesign approved 2022
- 5 year warranty

OPTIONAL EXTRAS

- External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

COLOUR OPTIONS



Enamel
Black



Matt
Black

ROOM AND CENTRAL HEATING

| | |
|-----------------------------|----------|
| Maximum heat output to room | 5.5kW |
| Maximum boiler output | 14kW |
| Maximum radiators | Up to 12 |

PERFECT FOR

- Perfect for larger homes
- A complete home heating solution
- Contemporary design aesthetic
- Burning all approved solid fuels



ENERGY
RATING



76.1
%
NET EFFICIENCY

See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Lismore Enamel Cream shown

Lismore

Sister to the Reginald stove, the Stanley Lismore is all that is good about the Reginald only 20% smaller in size and output. With its contemporary good looks, high performance and energy management, the Lismore is ideal for today's stylish homes.

FEATURES

- Model: Freestanding Central Heating and Room Heating
- External air supply as standard
- Dual position grates for wood and coal
- Sculpted curve design
- Large viewing glass
- Secondary air provides cleaner combustion
- Window wash air to maintain a clean glass
- Raised grate for optimum fuel burn
- Large ashpan
- Top and rear flue outlet

DIMENSIONS



BENEFITS

- Tested & approved to European standard - EN 13240
- 5 year warranty
- Dual grates to burn wood and coal
- External air supply as standard

ROOM HEAT ONLY

| | |
|-----------------------------|------|
| Maximum heat output to room | 12kW |
|-----------------------------|------|

PERFECT FOR

- Heating large living spaces or open plan rooms
- Contemporary design aesthetic
- Burning all approved solid fuels

A

ENERGY RATING

70.4

%

NET EFFICIENCY

ROOM AND CENTRAL HEATING

| | |
|-----------------------------|--------|
| Maximum heat output to room | 4.7kW |
| Maximum boiler output | 12.8kW |
| Maximum radiators | 10 |

PERFECT FOR

- Heating your home and hot water efficiently
- Ideal choice for larger homes
- Burning all approved solid fuels

A

ENERGY RATING

76.3

%

NET EFFICIENCY

COLOUR OPTIONS

Enamel Black

Matt Black

Cream

See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Ardmore Enamel Black shown

Ardmore

Third stove and smallest in the next generation range of stoves which include the Reginald and Lismore, the Ardmore provides a maximum of 9kW of heat output to the room, has large viewing window and high chromium grates.

FEATURES

- › Model: Freestanding Room Heating
- › Integrated Firedoor and Ashdoor
- › Sculpted curve design
- › Large viewing glass
- › Suitable for burning all approved solid fuels
- › Separate air inlet for under grate combustion air supply
- › Raised grate for optimum fuel burn
- › Large ashpan
- › Top and rear flue outlet

DIMENSIONS



BENEFITS

- › Ecodesign approved 2022
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion

COLOUR OPTIONS



ROOM HEAT ONLY

Maximum heat output to room **9kW**

PERFECT FOR

- › Open plan living
- › Burning all approved solid fuels
- › Contemporary design aesthetic



See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Erin Matt Black shown

Erin

As one of our largest and most popular stoves, the Erin not only heats up to 9 radiators but also provides a plentiful source of hot water for your home. The Erin features a thermostatic (water temperature) control as well as clean burn technology with primary and secondary air intakes for optimum control.

FEATURES

- Model: Freestanding Central Heating
- Removable ash pan
- Automatic thermostat control
- Easy action riddling
- Overnight burning capacity
- Air-wash facility to clean stove window
- Top and rear flue exit

DIMENSIONS



BENEFITS

- Tested & approved to European standard - EN 13240
- 5 year warranty

OPTIONAL EXTRAS

- External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

COLOUR OPTIONS



Matt
Black

ROOM AND CENTRAL HEATING

| | |
|-----------------------------|--------|
| Maximum heat output to room | 6kW |
| Maximum boiler output | 13.2kW |
| Maximum radiators | 9 |

PERFECT FOR

- Heating large Irish homes
- A plentiful source of hot water for your home



See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Tara Matt Black shown

Tara

The Tara is a medium-sized stove in our classics collection which comes in a choice of colours to suit a wide variety of interiors. With simple, easy-to-use controls, the Tara stove combines durability and efficiency and has all the flexibility to suit your lifestyle.

FEATURES

- Model: Freestanding Central Heating and Room Heating
- Overnight burning capability
- Easily removable boiler cleaning door (Central Heating Model)
- Removable ash-pan, fire fence and front ashtray
- Controllable heat output
- Top and rear flue exit
- Suitable for burning wood, coal, anthracite and peat briquettes

DIMENSIONS



BENEFITS

- Tested & approved to European standard - EN 13240
- 5 year warranty

OPTIONAL EXTRAS

- External air supply kit - Directs air from the outside into the stove to aid efficient combustion.
- Optional Boiler kit available to heat hot water.

ROOM HEAT ONLY

| | |
|-----------------------------|-----|
| Maximum heat output to room | 8kW |
|-----------------------------|-----|

PERFECT FOR

- Heating medium sized living spaces or rooms
- Burning all approved solid fuels
- Optional boiler kit available to heat hot water

ROOM AND CENTRAL HEATING

| | |
|-----------------------------|-----|
| Maximum heat output to room | 2kW |
| Maximum boiler output | 8kW |
| Maximum radiators | 6 |


PERFECT FOR

- Smaller homes
- Controllable burn rate and output to radiators
- Burning all approved solid fuels

A
ENERGY
RATING

70.9
%
NET EFFICIENCY
ROOM HEAT MODEL

COLOUR OPTIONS



A
ENERGY
RATING

76
%
NET EFFICIENCY
CENTRAL HEAT MODEL

See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Aoife

The Aoife's neat size suits urban living and is powerful enough to heat open-plan rooms. The clean design lines and large viewing glass offer a stunning contemporary take on a traditional stove design. The Aoife provides a maximum of 7.3kW of heat to the room and can be flued into a standard fireplace opening.

FEATURES

- › Model: Freestanding Room Heating
- › Lower horizontal flue height which fits in existing fireplaces
- › Manual controlled primary air
- › Separate secondary window wash air control
- › Large viewing glass
- › High chromium grates
- › Detachable door handle

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13240
- › 5 year warranty
- › Fits into most standard fireplaces

ROOM HEAT ONLY

| | |
|-----------------------------|-------|
| Maximum heat output to room | 7.3kW |
|-----------------------------|-------|


PERFECT FOR

- › Open fireplace conversion
- › Open plan living
- › Burning all approved solid fuels

COLOUR OPTIONS



Matt
Black



See page 78 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Oisin Enamel Cream shown

Oisin

The Oisin solid fuel stove is the smallest stove in our classic collection and offers high heat output and great efficiency. Its compact design ensures that it will fit easily into your home and is ideal for small rooms and apartment living. Perfect for those who want efficiency and convenience in a compact space.

FEATURES

- Model: Freestanding Room Heating
- Removable ash-pan
- Fits into standard fireplace
- High chromium grates
- Controllable heat output
- High heat efficiency
- Top and rear flue exit

DIMENSIONS



BENEFITS

- Tested & approved to European standard - EN 13240
- 5 year warranty
- Fits into most standard fireplaces
- Comes in the widest range of colours: French Grey, Cream, Black Enamel and Matt Black

OPTIONAL EXTRAS

- External air supply kit - Directs air from the outside into the stove to aid efficient combustion.
- Optional Boiler kit available to heat hot water.


ROOM HEAT ONLY

| | |
|-----------------------------|-------|
| Maximum heat output to room | 6.4kW |
|-----------------------------|-------|

PERFECT FOR

- Smaller living spaces or rooms
- All interiors styles with our widest range of colours
- Burning all approved solid fuels

COLOUR OPTIONS



See page 79 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Cara Insert Matt Black shown

Cara

The Cara Insert Stove is the ideal home heating solution for those who want the warmth and efficiency of a cast iron stove with all the visual benefits of an open fire. The Cara Insert aims to retain the appearance of an open fire while bringing all the benefits of a stove and is 3 times more efficient than an open fire. It is the perfect solution for where space is at a premium.

FEATURES

- › Model: Insert Room Heating
- › Fits into a standard fireplace
- › Easily connected to a standard 125mm diameter chimney
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large Ashpan
- › High quality, cast iron build
- › Modern, yet classic design

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces
- › Ecodesign 2022 approved

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.
- › Cast iron filler piece available in matt black to fit most curved fireplaces



ROOM HEAT ONLY

| | |
|-----------------------------|-------|
| Maximum heat output to room | 6.5kW |
|-----------------------------|-------|

PERFECT FOR

- › Heating small to medium sized rooms
- › Replacing an inefficient open fire but retaining all the visual benefits
- › Burning all approved solid fuels

COLOUR OPTIONS



See page 79 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation. The minimum clearance to combustibles required is 550mm to the top, 350mm to the sides, 550mm directly to the front and 350mm to any combustible flooring. If the mantelpiece protrudes further than 100mm from the fireplace, then it will be necessary to have further clearance to the top of the stove. The distance the mantle protrudes past the 100mm should be added to the clearance. For example, if the mantle protrudes 200mm, the clearance to the mantle should be 650mm.



Cara Glass

New to the range, our contemporary Cara Glass is ideal solution for those who want warmth, efficiency and contemporary good looks. The Cara Glass Insert is three times more efficient than an open fire and takes up minimal hearth space meaning less intrusion in your room. The Cara Glass comes in 3 and 4 frame meaning it can fit into standard fireplace or can be placed on a wall.

FEATURES

- › Model: Insert Room Heating
- › Fits into a standard fireplace
- › Top flue outlet only
- › Available in 3 and 4 sided frame
- › Easily connected to a standard 125mm diameter chimney
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large ashpan

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces
- › Available in 3 frame and 4 frame options
- › Ecodesign 2022 approved

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

ROOM HEAT ONLY

Maximum heat output to room **6.45kW**


PERFECT FOR

- › Small to medium sized living spaces or rooms
- › Rooms where space is at a premium
- › Burning all approved solid fuels

COLOUR OPTIONS



Enamel
Black



See page 79 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation. The minimum clearance to combustibles required is 550mm to the top, 350mm to the sides, 550mm directly to the front and 350mm to any combustible flooring. If the mantelpiece protrudes further than 100mm from the fireplace, then it will be necessary to have further clearance to the top of the stove. The distance the mantle protrudes past the 100mm should be added to the clearance. For example, if the mantle protrudes 200mm, the clearance to the mantle should be 650mm.



Cara+ Enamel Black shown

Cara+

Replace your inefficient back boiler and open fire with a powerful home heating solution. Using the Cara+ to replace a back boiler will improve your heating efficiency considerably. The Cara+ heats up to 10 radiators and provides a comfortable 3.6kW of heat to the room itself.

FEATURES

- › Model: Insert Central Heating
- › Fits in 16" or 18" opening
- › Reduces room air loss, increasing BER rating
- › Top outlet only 6"/153mm flue collar
- › Separate controls for Primary and Secondary air
- › Flue connector kit supplied
- › Large fuelling door and viewing glass
- › Attached door handle
- › High chromium grates

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13240
- › 5 year warranty
- › Fits into most standard fireplaces

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.


ROOM AND CENTRAL HEATING

| | |
|-----------------------------|--------|
| Maximum heat output to room | 3.6kW |
| Maximum boiler output | 13.2kW |
| Maximum radiators | 10 |

PERFECT FOR

- › Open fireplace conversion
- › Total home heating
- › Burning all approved solid fuels

COLOUR OPTIONS



See page 79 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation. Stanley stoves are designed to last. Our stove experts are on hand at your local Stanley Retailer to help you choose the right stove for you. Print colours cannot reproduce the exact enamel or matt colours, so please visit your Stanley Retailer to view before purchase. Visible flame will vary by fuel type, draught conditions and operational settings. 150mm/6" flue outlet required. Images are for illustration purposes only, see page 81 for detailed dimension drawings, please consult product technical manuals for dimensions and guidelines before installation. The minimum clearance to combustibles required is 200mm to the top, 150mm to the sides, 550mm directly to the front and 350mm to any combustible flooring.

For generations, Stanley
range cookers have been
renowned for their durability,
superb efficiency and
powerful performance.

Cooker Range



Supreme Deluxe 90cm

Brandon Oil Condensing

The Brandon Condensing range cooker is an oil fired central heating range cooker complete with condensing technology that offers an improved heating efficiency of 92%. Essentially, it's a cooker that's also a boiler - so not only does it cook your food; it warms your home and heats your water too. Superior controllability with excellent eco-credentials makes this Brandon cooker truly exceptional.

Handcrafted from cast iron with a beautifully enamelled exterior, the Brandon fits easily into any style of kitchen, transforming it into a warm and welcoming space.

FEATURES

- › Available in 80,000 BTU (23.4kW) boiler output
- › Heats up to 16 standard radiators
- › Condensing technology offers improved heating efficiencies of 92%
- › Two flueing options available:
 - Balanced flue which must be installed against an external wall
 - Conventional left hand flue which can flued into chimney opening
- › Integral cooker programmer
- › Must be connected to independent external controls for central heating and hot water
- › Fits a standard 1 metre opening

DIMENSIONS



BENEFITS

- › Condensing technology makes it the highly efficient at 92%
- › Two flue options, balanced and conventional offer up more locations for it to be installed
- › At 1000mm wide it fits into standard kitchen alcoves and at 910mm high it is level with most kitchen worktops
- › Will work with underfloor heating

COLOUR OPTIONS



Cream Black Claret

See page 80 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Brandon Condensing Oil Balanced Flue shown

Brandon Oil

The Brandon is the ultimate range cooker for style and precision control. A beautifully designed statement at the heart of your kitchen combined with the majestic presence of Stanley mean the Brandon strikes the perfect chord between past and present.

It heats up to 20 standard radiators and is also compatible with underfloor and zone control heating. Central heating, hot water and cooking are controlled individually for even more efficiency.

FEATURES

- › Digital display and electronic controls including digital control and display of oven temperature
- › Automatic seven day programmer and countdown timer
- › Separate control of hot water¹, central heating¹ and oven preheat to 150°C
- › Chrome hotplate covers as standard
- › Simmer plate cover as standard
- › Large capacity main oven and warming oven
- › Available in 3 central heating models: 12, 16 and 20 radiators


DIMENSIONS



BENEFITS

- › Will work with underfloor heating
- › Model to suit all your heat needs: 12, 16 and 20 radiators
- › Heating, Hot water and cooking all controlled separately

COLOUR OPTIONS



Cream

Black

Claret

¹ When connected to a motorised valve

See page 80 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Donard Multifuel

For generations Stanley's multifuel range cookers have brought warmth to homes and hot food to families. Today, solid fuel is an increasingly popular lifestyle and economic choice for many homes.

Each Stanley solid fuel model combines classic good looks with durability and efficiency, and can run on a wide range of fuels. The Donard combines classic range cooking styling with exceptional performance. The insulating cover ensures excellent heat retention, while the high output boiler efficiently heats your home and water.

FEATURES

- › Twin hotplate covers
- › Large capacity main oven
- › Second warming oven
- › Efficiency: 68% efficient when burning wood only
- › Heats up to 12 radiators
- › Front firebox loading
- › Fuel box suitable for 380mm logs
- › Weight 420kg

DIMENSIONS



BENEFITS

- › Suitable for burning wood, coal, anthracite and peat briquettes
- › Large capacity main oven for cooking
- › Simmer plate for keeping your pot of coffee or tea warm

OPTIONAL EXTRAS

- › Plate rack and splashback
- › Chrome hot plate covers

COLOUR OPTIONS



See page 80 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Dartry Multifuel

The Dartry cooker is a beautiful take on the traditional cast iron cooker from Stanley. With large cast iron hotplate and sizeable oven, it's a joy to cook on.

The Dartry has so much more to offer than it cooking and style. The Dartry will heat up to 10 radiators and provide lashings of hot water for your home.

FEATURES

- > 4.5kW max output to the room
- > 15.7kW max out to the water
- > Heats up to 10 standard radiators
- > Cast Iron front with steel frame
- > Cast iron top with ceramic glass cover
- > Large Main Oven
- > 76.5% efficient
- > 150mm Flue
- > Height adjustable grate
- > Rear Flue Outlet
- > Flue located 55mm from center of cooker
- > Weight 218kg

DIMENSIONS



BENEFITS

- > Suitable for burning wood, coal, anthracite and peat briquettes
- > Large capacity main oven for cooking
- > Adjustable grate heights to reduce heat output from boiler as required



Cast iron top with ceramic glass lid

See page 80 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Supreme Deluxe 90cm and 110cm


The Stanley Supreme Deluxe displays timeless design quality that enables it to fit in to any style of kitchen. Its classically simple, understated appeal will match any taste, from the contemporary to the traditional and is available in a choice of five colours to suit your kitchen décor.

The Stanley Supreme Deluxe is available in two sizes - 90cm and 110cm - and with a choice of an induction or gas hob. This cooker is the epitome of understated elegance, perfect for anybody who aspires to owning a Stanley but prefers the instant control of a conventional range cooker.

FEATURES

- › 'A' rated for energy efficiency
- › Slow cooking oven Supreme Deluxe 110
- › Two ovens – one fan oven, one multifunction oven – to offer extra flexibility and high volume cooking capability
- › Multifunction oven offers fan oven, conventional oven, fan assisted oven, base heat, fanned grilling, browning, defrost and Rapid Response
- › Separate grill compartment with a glide-out grill system
- › Choice of a six-burner gas hob Supreme Deluxe 110, a five-burner gas hob Supreme Deluxe 90 or a five zone induction hob – for complete cooking flexibility
- › Gas hob is in Natural Gas and can be converted to LPG
- › Separate griddle plate and wok ring are included on gas hob model.

DIMENSIONS




BENEFITS

- › 2 ovens on both models sizes gives you lots of cooking possibilities
- › Slow cooking oven on the 110cm offers you an insight into cast iron cooking
- › Large cooking top with with 5/6 cooking zones for complete cooking flexibility

ACCESSORIES

- › 110cm Black Chimney Hood with Chrome Detailing

COLOUR OPTIONS










See page 81 for detailed dimension drawings. Please consult product technical manuals for dimensions and guidelines before installation.



Supreme Deluxe 110cm Dual Fuel shown

ARGON Electric

Room Only Models

| MODEL | HEAT OUTPUT | FUEL BED | FLAME EFFECT | COLOUR | ENERGY CLASS |
|-------------------------------------|-------------|-------------|-------------------|---|--------------|
| Wall Hung 90cm, 110cm, 140cm, 200cm | 1kW to 2kW | Log Effect | Red, Yellow, Blue |  Black Glass | A |
| Built In 110cm, 130cm | 1kW to 2kW | Log Effect | Red, Yellow, Blue |  Black Glass | A |
| Cara Electric | 1kW to 2kW | Log Effect | Red |    | A |
| Bailey | 1kW to 2kW | Coal Effect | Red |  Black Satin | A |
| Arranmore | 1kW to 2kW | Coal Effect | Red |  Chrome | A |

ARGON Gas

Room Only Models

| MODEL | HEAT OUTPUT | FUEL BED | COLOUR | EFFICIENCY | FLUE |
|-------------------|------------------|------------|--------------|---------------------|----------|
| F500 Oval | 1.8kW to 5.5kW * | Log Effect | Graphite | 81% Nat Gas/83% LPG | Balanced |
| F500 Slim | 1.8kW to 5.5kW* | Log Effect | Graphite | 81% Nat Gas/83% LPG | Balanced |
| Cara Insert | 1.5kW to 5kW | Log Effect | Black Enamel | 81% Nat Gas/83% LPG | Balanced |
| Cara Glass Insert | 1.5kW to 5kW | Log Effect | Black Enamel | 81% Nat Gas/83% LPG | Balanced |


















SOLIS Wood burning and Multifuel

Room Only Models

| MODEL | HEAT OUTPUT | FUEL TYPE | COLOUR | EFFICIENCY | ENERGY CLASS |
|-----------------|-------------|----------------|----------------------|------------|--------------|
| I500 | Max 5kW | Wood/Multifuel | Graphite | 82% | A+ |
| I900 | Max 9kW | Wood/Multifuel | Graphite | 80% | A |
| I80SS | Max 12kW | Wood | Graphite/Black Glass | 79% | A |
| I80DS | Max 14kW | Wood | Graphite/Black Glass | 79% | A |
| I100DS | Max 16kW | Wood | Graphite/Black Glass | 79% | A |
| F500 Edge | Max 5kW | Wood/Multifuel | Graphite | 81.1% | A+ |
| F650 Style | Max 6.5kW | Wood/Multifuel | Graphite | 84.8% | A+ |
| F900 Ridge | Max 9kW | Wood/Multifuel | Graphite | 77.5% | A |
| F800 Grande | Max 8kW | Wood/Multifuel | Graphite | 83% | A+ |
| F1100 Panoramic | Max 11kW | Wood | Graphite | 81% | A+ |














Classic Range

Room Only Models

| MODEL | MAX. HEAT OUTPUT ROOM | MAX. BOILER OUTPUT | MAX. RADIATORS | COLOUR | EFFICIENCY RATING |
|------------|-----------------------|--------------------|----------------|---|-------------------|
| Oisin | 6.4kW | N/A | N/A |     | 78.8% |
| Cara | 6.5kW | N/A | N/A |    | 78.4% |
| Cara Glass | 6.5kW | N/A | N/A |  | 78.1% |
| Aoife | 7.3kW | N/A | N/A |  | 77.3% |
| Tara | 8kW | N/A | N/A |    | 70.9% |
| Ardmore | 9kW | N/A | N/A |   | 81% |
| Lismore | 12kW | N/A | N/A |    | 70.4% |

Classic Range

Room & Rad Models

| MODEL | MAX. HEAT OUTPUT ROOM | MAX. BOILER OUTPUT | MAX. RADIATORS | COLOUR | EFFICIENCY RATING |
|----------|-----------------------|--------------------|----------------|---|-------------------|
| Tara | 2kW | 8kW | 6 |    | 76.0% |
| Erin | 6kW | 13.2kW | 9 |   | 74.7% |
| Cara* | 3.6kW | 13.2kW | 10 |    | 73.6% |
| Lismore | 5kW | 12kW | 10 |    | 76.3% |
| Reginald | 5.5kW | 14kW | 12 |   | 76.1% |

Heat outputs are based on laboratory testing. For Central heating calculations are based on average sized radiators (5ft x 2ft). Efficiency ratings quoted are net efficiencies as per EN13240 (third party results). This brochure is produced as a visual aid and is not intended to replace the installation and users instructions, or the need to view an appliance. n/a = not available

* F500 Oval and Slim LPG are 1.75kW to 5kW.



Range Cookers

| MODEL | BRANDON OIL | | | BRANDON CONDENSING OIL | DONARD MULTIFUEL | DARTRY MULTIFUEL | SUPREME DELUXE DUAL FUEL | SUPREME DELUXE ALL ELECTRIC |
|----------------------------------|-------------|------|------|------------------------|------------------|------------------|--------------------------|-----------------------------|
| | 100 | 80 | 60 | 80 | 60 | 50 | | |
| Cooking | • | • | • | • | • | • | • | • |
| Domestic Hot Water (DHW) | • | • | • | • | • | • | | |
| Central Heating | • | • | • | • | • | • | | |
| OVENS | | | | | | | | |
| Fan Oven | | | | | | | • | • |
| Multifunction Oven | | | | | | | • | • |
| Cast Iron Main Oven | • | • | • | • | • | • | | |
| Cast Iron Lower Oven | • | • | • | • | • | | | |
| HOBS | | | | | | | | |
| Cast Iron | • | • | • | • | • | • | | |
| Induction | | | | | | | • | • |
| Gas | | | | | | | • | • |
| HEATING CONTROLS | | | | | | | | |
| Digital Control | • | • | • | • | | | | |
| Analogue Control | | | | | | | | |
| Digital Programmer | | | | • | | | | |
| Thermostatic | | | | • | | | | |
| FLUE SYSTEM | | | | | | | | |
| Balanced | | | | • | | | | |
| Conventional | • | • | • | • | • | • | No Flue Required | |
| Twin Walled | • | • | • | | • | • | No Flue Required | |
| Fan Assisted | • | • | • | | | | | |
| CENTRAL HEATING HOT WATER SYSTEM | | | | | | | | |
| Fully Pumped Open | • | • | • | • | • | • | N/A | N/A |
| Fully Pumped Sealed | • | • | • | • | | | N/A | N/A |
| BOILER OUTPUT WATER SYSTEM | | | | | | | | |
| BTU/ Hour | 100K | 80K | 60K | 80K | 60K | 53.5K | N/A | N/A |
| Kilowatts (kW) | 29.3 | 23.4 | 17.6 | 23.4 | 17.6 | 15.7 | N/A | N/A |
| Average number of radiators | 20 | 16 | 12 | 16 | 12 | 10 | N/A | N/A |
| WEIGHT | | | | | | | | |
| Metric (kgs) | 385 | 380 | 380 | 395 | 360 | 218 | N/A | N/A |
| SAP (EFFICIENCY) RATINGS % | | | | | | | | |
| Oil | 81.7 | 84.2 | 82.3 | 92 | N/A | 76.5 | A | A |


Please consult product technical manuals for dimensions and guidelines before installation.

Electrical Technical Drawings

ARGON Wall Hung




ARGON Built In




Electrical Technical Drawings

Cara Electric




Gas Technical Drawings

F500 Oval Freestanding




Cara Gas




ARGON Insets


Arranmore & Bailey



F500 Slim Freestanding




Cara Glass Gas




SOLIS Woodburning & Multifuel Technical Drawings


SOLIS I500 4 sided frame




SOLIS I900 3 sided frame




SOLIS I80 SS



SOLIS I80 DS




SOLIS I100 DS




SOLIS Woodburning & Multifuel Technical Drawings


SOLIS F500 Edge




SOLIS F650 Style




SOLIS F900 Ridge



SOLIS F800 Grande



SOLIS F1110 Panoramic




External air with Stanley stoves

| MODEL | YES - AS STANDARD | YES - KIT |
|-----------------|-------------------|-----------|
| I80 DS | • | |
| I80 SS | • | |
| I100 DS | • | |
| I500 | • | |
| I900 | • | |
| F500 Edge | | • |
| F650 Style | | • |
| F900 Ridge | | • |
| F800 Grande | • | |
| F1110 Panoramic | • | |


External air feed is available for many of our stoves as an optional extra. External Air is used in well-insulated houses for mechanical ventilation, and directs air from the outside into the stove to improve combustion.

Classic Stoves


Reginald




Lismore




Ardmore




Erin



Tara




Aoife




Classic Stoves


Oisin




Cara



Cara Glass



Cara+



External air with Stanley stoves


External air feed is available for many of our stoves as an optional extra. External Air is used in well-insulated houses for mechanical ventilation, and directs air from the outside into the stove to improve combustion.

| ROOM ONLY MODELS | MODEL | YES | NO | KIT |
|------------------|------------|-----|----|-----|
| | Oisin | • | | • |
| | Cara | •* | | |
| | Cara Glass | • | | • |
| | Aoife | | • | |
| | Tara | • | | • |
| | Ardmore | • | | • |
| | Lismore | • | | |

| ROOM & RADIATOR MODELS | MODEL | YES | NO | KIT |
|------------------------|-----------|-----|----|-----|
| | Tara | • | | • |
| | Erin | • | | • |
| | Cara Plus | • | | • |
| | Lismore | • | | |
| | Reginald | • | | • |

Range Cookers

Brandon Condensing




Dimensions

| FRONT VIEW | A | | | | | | B | | | | |
|-------------|-----|-----|------|-----|-----|----|-----|-----|----|-----|----|
| Metric (mm) | 995 | | | | | | 940 | | | | |
| SIDE VIEW | C | D | E | F | G | H | I | J | K | L | M |
| Metric (mm) | 920 | 543 | 1428 | 529 | 164 | 42 | 470 | 470 | 63 | 160 | 38 |

Hotplate and oven dimensions

| FEATURE | WIDTH | HEIGHT | DEPTH |
|----------------|-------|--------|-------|
| Hotplate | 650 | | 355 |
| Roasting oven | 370 | 310 | 410 |
| Simmering oven | 370 | 225 | 410 |

Brandon




Dimensions

| FRONT VIEW | A | | B | | C | | C |
|-------------|-----|----|-----|------|------|-----|-----|
| Metric (mm) | 920 | | 920 | | 1480 | | 560 |
| SIDE VIEW | E | F | G | H | I | J | K |
| Metric (mm) | 640 | 45 | 250 | 1047 | 152 | 540 | N/A |

Hotplate and oven dimensions

| FEATURE | WIDTH | HEIGHT | DEPTH |
|----------------|-------|--------|-------|
| Hotplate | 550 | | 323 |
| Roasting oven | 390 | 310 | 406 |
| Simmering oven | 390 | 220 | 406 |

Donard




Dimensions

| FRONT VIEW | A | B | C | D | E | F* | G |
|-------------|-----|-----|------|-----|-----|-----|-----|
| Metric (mm) | 885 | 920 | 1320 | 995 | 145 | 480 | 195 |
| SIDE VIEW | E | F | G | H | | | |
| Metric (mm) | 230 | 590 | 150 | | | | |

Hotplate and oven dimensions

| FEATURE | WIDTH | HEIGHT | DEPTH |
|----------------|-------|--------|-------|
| Hotplate | 560 | | 330 |
| Roasting oven | 390 | 310 | 406 |
| Simmering Oven | 390 | 220 | 406 |


Dartry




Hotplate and oven dimensions

| FEATURE | WIDTH | HEIGHT | DEPTH |
|---------------|-------|--------|-------|
| Hotplate | 940 | | 500 |
| Roasting oven | 450 | 425 | 460 |

Supreme Deluxe 110cm



Supreme Deluxe 90cm



Flueing your Stanley range cooker

When installing your Stanley oil range cooker, we recommend using Stanley parts and Stanley approved flue systems only. For those homes without a chimney, a fan flue system is available.


Choosing the right fan flue (oil cookers only)

A fan flue is the ideal solution for houses without a chimney as it allows you to flue through any suitable external wall. The correct model of fan flue depends on your chosen range cooker model.

| MODEL | VARIANT | FUEL | FAN FLUE |
|--------------------|---------------|-----------|-------------------|
| Brandon | 100 / 80 / 60 | Oil | Brandon/Renovator |
| Brandon | 10 / Cooker | Oil | Renovator |
| Brandon Condensing | 80 | Oil | No fan flue |
| Donard | 60 | Multifuel | No fan flue |
| Dartry | 50 | Multifuel | No fan flue |


Renovator fan flue

- 1. Fan Flue Casing
- 2. Air Inlet
- 3. Fan Flue




Brandon fan flue

- 1. Safety cage
- 2. Air intake assembly
- 3. Fan flue



- 1. Telescopic flue pipes
- 2. Fan vent pipe



A balanced flue is included with your Brandon Condensing cooker although you may need to purchase an extension kit as shown here.






Installation

Waterford Stanley want you to enjoy the maximum performance from your Stanley stove. To ensure this, it is essential that they are installed correctly. We recommend using a suitably qualified installer. To assist you we have a nationwide network of service agents available, as well as a dedicated technical service helpline. When fitting your Stanley stove a range of cast iron pipes and bends are available for installation purposes. These are available in a choice of colours to suit your appliance.





Pipes and bends

Pipes and bends

PIPES

| | | | | | | |
|--|--------------------------------------|---|---|---|---|---|
| | |  |  |  |  |  |
| | Model | 151/2" (395mm) height 5" (125mm) straight pipe | 73/4" (200mm) height 5" (125mm) extension pipe | 161/2" (418mm) height 6" (150mm) straight pipe (no access door) | 161/2" (418mm) height 6" (150mm) straight pipe (with access door) | 34" (864mm) height 6" (150 mm)straight pipe (with access door) |
| | Erin, Aoife, Tara, Lismore, Reginald | | | | | |
| | Oisín, Ardmore | | | | | |

BENDS

| | | | | | |
|--|-------------------------------------|---|---|--|---|
| | |  |  |  |  |
| | Model | 5" (125mm) 112o bend | 6" (150mm) 112o bend | 5" (125mm) 45o bend | 6" (150mm) 45o bend |
| | Erin, Aoife,Tara, Lismore, Reginald | | | | |
| | Oisín, Ardmore | | | | |

A proud tradition

Stanley has been bringing warmth and comfort to homes for generations, stretching back to when the first range cooker was made in Waterford in 1936.

Allied Ironfounders were the leading foundry company of the day. It owned sites in Larbert, Scotland, Coalbrookdale and Telford, England, together with the Waterford site. Stanley cookers were made alongside Rayburn cookers in Waterford until the 1950's.

In the 1960's the Waterford site was sold and evolved through the decades to become Waterford Stanley in the early 1980's. In 2005 Waterford Stanley was acquired by the AGA Rangemaster Group, once again reuniting the AGA, Rayburn, Falcon and Stanley families.

Ireland's number one stove brand

The Stanley brand inspires instinctive loyalty and appeals strongly to Irish consumers. The sense of family, cosiness and a relaxed lifestyle are values that Stanley owners aspire to. Stanley meets these aspirations with its collection of expertly crafted, cast iron range cookers and stoves.

Designed and developed in Ireland, all our departments including Research and Development, Logistics, Service and Customer Call Centre, Sales and Marketing are based in Waterford.

Expert Advice and Service

We want to make sure you choose the perfect Stanley for your lifestyle. Throughout Ireland, home heating experts are available in Stanley retailers to offer advice and help you in choosing the best stove to suit your needs.

All of our staff have been trained by Waterford Stanley to guide you through the selection process. With almost 100 years of combined experience in the Stanley sales and customer service office there's always someone to help with your queries.

Ecodesign 2022

Ecodesign is the European-wide programme to lower emissions to improve air quality from a range of appliances that use energy including stoves and will come into force 1st January 2022. It will apply to both wood burning and solid fuel stoves

What does Ecodesign cover?

- › Minimum efficiency rating of 75% for stoves
- › Reduction of CO (Carbon monoxide) –88%
- › New limit for emissions of NOx
- › Introduction in requirements for Particulate matter and organic gaseous compounds

Waterford Stanley is committed to certifying its stoves for Ecodesign 2022. Where you see the following logo on our SOLIS and classic range, they have already been certified for Ecodesign 2022.

Did you know?

Stanley's first factory in Waterford was set up in 1936 by Allied Ironfounders, the predecessor company to AGA, as a sister facility to its foundry in Larbert, Scotland.



Stanley Cookers awaiting transport from Bilberry, Waterford circa 1940. Photo with thanks to the Poole Photographic Collection and reproduced with the kind permission of the National Library.





Bringing warmth and
comfort to homes for
generations



Ecodesign is the European-wide programme to lower emissions to improve air quality from a range of appliances that use energy including stoves and will come into force 1st January 2022. It will apply to both wood burning and solid fuel stoves.



OFTEC's codes of practice set standards for the industry, and are followed by its members and registered technicians.



HETAS is the official body recognised by Government to approve solid fuel domestic heating appliances, fuels and services. Established in 1936, HETAS Ltd. is the official testing and approval body for the domestic solid fuel industry. HETAS Ltd. approves and gives the three tick logo mark of quality assurance to solid fuels and solid fuel stoves.

YOUR STANLEY STOCKIST:

Republic of Ireland:

Sales Dept. 051 302 302
Service Dept. 051 302 333

Northern Ireland:

Sales & Service: 028 8772 2195

You can also contact us on
sales@waterfordstanley.com or
service@waterfordstanley.com